


TOMRA RollPac



FLEXIBLE LINE

Take efficiency to new heights





The backroom solution made for your handling system

The TOMRA RollPac vertical backroom solution is designed with retailers' existing roller cage infrastructure in mind. Now it's easier than ever to make room for recycling in your store's operations.





High efficiency gives you more time with your customers

Between single-person operation and a generous container capacity, the TOMRA RollPac solution helps reduce effort and increase operational efficiency, enabling more time for customers.

Reuse and reduce your investment

Upgrade your backroom solution for higher volume and ease of operations, while keeping your existing front-end machine and equipment. Compatible with TOMRA T8, TOMRA T9, and the new TOMRA R2, as well as various TOMRA end-of-lane configuration kits like tables and SoftDrop.

Save space in a smart way

TOMRA's first ever vertical compaction and storage solution handles a high volume of bottles and cans in the smallest system footprint, so you can make the most of your storage and retail sales space.



TOMRA RollPac right


The flexible backroom solution made for an easy fit

Enjoy the benefits of an efficient backroom solution in a small space, thanks to the TOMRA RollPac's many available configurations.


System layout options:

<section-header><section-header>

TOMRA RollPac left with SoftDrop





TOMRA RollPac left with turn-out




TOMRA RollPac left

TOMRA RollPac left, angled





TOMRA R2 with RollPac with SoftDrop



Retailers play a key role in transforming the way society handles valuable resources

Deposit return systems (DRSs) for beverage container recycling help keep valuable resources in a continuous loop of use and reuse. At TOMRA, we call this process Clean Loop Recycling.

As a retailer, you're at the heart of Clean Loop Recycling. You play a critical role at the point where consumers buy and return their containers.





Let's put recycling to work for you

Choosing to partner with TOMRA means creating a great recycling experience for your customers, making a smart investment for your store, and choosing a solution that brings peace of mind and excellent support for your operations.



TOMRA RollPac

Take efficiency to new heights



MEASUREMENTS (PER CABINET)*

Dimensions [W x D x H] Footprint Weight

1800 mm x 1000 mm x 2600 mm 1.8 sqm 570 kg

STANDARD CONFIGURATION*

Machine type Layout/orientation Cabinet types Number of cabinets per system	Modular backroom solution Straight, angled right/left or with turn-out (intersection) Right and left	* May as v
Number of compactors per cabinet Number of bins per cabinet	1 1 roller cage with max. dimensions of 760 x 820 x 1910 mm (W x D x H)	ENV Hum Tem
Type of compactors Bin unload direction End of lane configurations	PET, mix Straight, left or right Table with bottle raiser, end default and SoftDrop	Nois
Colors User interface Compatible	Two-tone grey and black Push-button TOMRA R2, T9 Bottle, T9 Bottle Crate,	ELE Pow
consumer-racing machines	T8 Bottle and T8 Bottle Crate	

STORAGE CAPACITY (PER BIN)*

•	•
Accepted containers	No
Storage capacity per bin	PE
	Ca
	50
	(co
Container sizes	Bo
	he
	Ca
	he

ay vary in different countries due to variations in beverage container materials, shapes and sizes, well as variation in roller cage specifications.

VIRONMENTAL

umidity	Ma
emperature	+10
	(Fo
oise	Eq
	LA

ECTRICAL

Power consumption	Ma
	sys
	sys
Mains EU	400



on-refillable plastic bottles and cans ET bottles: Up to 2200 (compacted) ans: Up to 8000 (compacted) 0/50 mixed PET bottles/cans: 3000 compacted using mix crusher) ottle size: Diameter 50-130 mm, eight 85-380 mm an size: Diameter 50-100 mm, eight 80-200 mm

aximum 90% relative humidity, non-condensing 0°C to +40°C / +50°F to 104°F or indoor or protected installation only) quivalent continuous sound pressure: Aeq <71 dB

ax. 1.98 kW (The power consumption of the stem depends on the compactors and the stem configuration.)

00V AC – 3-phase w/ ground, 50Hz, 16A

CONNECTIVITY **External IT interface Digital tools**

LAN (Ethernet TCP/IP), POS compatible Fully compatible with TOMRA's portfolio of digital products and APIs

TOMRA

Get in the Loop at tomra.com/Collection



TOMRA CERTIFICATION

TOMRA SYSTEMS ASA has implemented and maintains a Quality and Environmental Management System which fulfils Nemko's provisions for Management System Certification and the requirements of standards NS-EN ISO 9001:2015 and NS-EN ISO 14001:2015, with the scope described by the organization on 2018-05-29. The certification covers the development and delivery of automated systems for recycling.

LEGAL COMPLIANCE

The CE mark on this product confirms compliance with the following European Directives: 2006/42/EU, Community Legislation on Machinery. 2014/30/EU, Electromagnetic Compatibility (EMC). 2011/65/EU, Restrictions of Hazardous Substance (RoHS). 2012/19/EU, Waste Electrical and Electronic Equipment (WEEE).

We reserve the right to make changes to specifications without prior notice. While every effort has been made to ensure all information contained in this document is accurate, TOMRA assumes no liability for any errors, inaccuracies or omissions that may occur. All products and offers are subject to country availability. Please consider the environment before printing.









TOMRA Collection

TOMRA Collection is part of the TOMRA Group, which is Leading the Resource Revolution by transforming how we obtain, use, and reuse our world's resources.

With over 82,000 installations across more than 60 markets, retailers and consumers around the world rely on our reverse vending machines to collect more than 45 billion used bottles and cans each year, which can be recycled into new containers.

Clean Loop Recycling is the easy and rewarding way to make choices that make change.

Get in the Loop at **tomra.com**



