

ORWAK POWER 3420

ORWAK POWER is a dynamic baler family based on an innovative hydraulic concept, Black Star Technology. Stronger, faster and smarter to give you more value for the money! 3420 is a versatile baler for large volumes of packaging material. It is very fast with a cycle time of only 24 seconds!



MORE PRODUCTIVE USE OF TIME

Less time spent on waste handling, more time devoted to your core activities.

VOLUME REDUCTION

More compaction = less waste volume to transport for recycling or disposal. Fewer transports required results in lower transportation costs and reduced CO₂ emissions.

MORE SPACE

Our baler rapidly minimizes the space the waste takes up, keeping aisles and passageways free and tidy.



ORWAK POWER 3420

Optimal choice for cardboard and plastic

STRONGER

BLACK STAR TECHNOLOGY

The innovative hydraulic concept, introduced by us as Black Star Technology, is based on the reverse technique of pulling instead of pushing the press-plate downwards when compacting material.

Advantages:

- the cylinders are at its strongest point when pressure peaks
- a long piston stroke

These factors contribute to powerful compaction into dense bales!

SOLID DESIGN

ORWAK POWER, with its light spherical design, the ISO 3834-certified welding of the chamber and the durable cylinder design, is created for a long heavy-duty service life.

FASTER

RAPID BALER KEEPS UP WITH YOUR PACE

- More throughput at less energy consumption than in traditional baling systems!
- Very short cycle time of only 24 seconds!
- Autostart and a sliding door that reopens automatically after each press cycle
- The gas spring-driven shutter goes up in less than 2 seconds!



ORWAK POWER 3420 IS OPTIMIZED FOR:

PAPER

- + Cardboard
- + Shredded paper

PLASTIC FOIL

- + Shrink film
- + Plastic bags

SMARTER

INTELLIGENT BALER


The new PCB features data storage capacity, technical machine monitoring, communication opportunities and - as forerunner in the baler business - fulfills performance level D for personal safety.

MORE GREAT FEATURES

- Low-built design for easy transportation and successful installation where space is limited
- Silent operation
- User-friendly panel
- Material selector HP (cardboard) & LP (plastic)
- Bale indicator
- Bales can be secured by polyester straps or wire

DIMENSIONS AND SPECIFICATIONS

Dimensions					
A	B	C	D	E	F*
2380 mm	1775 mm	995 mm	2275 mm	1153 mm	1980 mm**



*Transport Height

**Transport feet add 70 mm but can be removed after unloading

Technical specifications							
LOADING APERTURE	CYCLE TIME	PRESS FORCE	BALE SIZE	BALE WEIGHT	NOISE LEVEL	MACHINE WEIGHT	OPERATING POWER
Width: 1200 mm Height: 520 mm	24 secs	26 ton, 260 kN	Width: 1200 mm Depth: 800 mm Height: 1150 mm	Cardboard: Up to 400 kg Plastic: Up to 450 kg	≤ 65 db (A))	1080 kg	3-phase 3x400 V, 50 Hz



TOMRA Compaction AB

Box 58, SE-576 22 Sävsjö, Sweden

Tel: +46 382-157 00

Fax: +46 382-106 07

E-mail: info.compaction@tomra.com

www.tomracompaction.com

We reserve the right to make changes to specifications without prior notice.
Bale weights are dependent upon material type.