

ORWAK 3210

Your efficient partner Orwak 3210 helps you take care of medium volumes of cardboard and plastic in no time! It is incredibly fast and compacts your waste in just 13 seconds! Due to a small footprint, it fits where space is limited.



MORE PRODUCTIVE USE OF TIME

Less time spent on waste handling, more time devoted to your core activities.

VOLUME REDUCTION

More compaction = less waste volume to transport for recycling or disposal. Fewer transports required results in lower transportation costs and reduced CO₂ emissions.

MORE SPACE

Our baler rapidly minimizes the space the waste takes up, keeping aisles and passageways free and tidy.



ORWAK 3210

Probably the fastest baler in the world

INCREDIBLY FAST

Compacts your waste in just 13 seconds!

EFFECTIVE COMPACTION

With a pressforce of 2,5 kg/sq.cm you achieve a volume reduction of up to 10:1

SMALL FOOTPRINT

Orwak 3210 is a compact machine that takes up less than 1 sq.m floorspace.



ORWAK 3210 IS OPTIMIZED FOR:

PAPER

- + Cardboard
- + Shredded
- + Paper sacks

PLASTIC FOIL

- + Shrink film
- + Plastic bags

OTHER METALS

- + Steel straps

OTHER PLASTICS

- + Plastic straps

SWITCH BETWEEN LP AND HP

Compacting cardboard or plastic foil? A switch conveniently located on the side of the machine makes it simple to alter the setting from High Pressure for cardboard to Low Pressure for plastic foil.

SILENT OPERATION CONTRIBUTES TO A BETTER WORKING ENVIRONMENT

Due to a silent type of hydraulics, the sound emission is low, which contributes to improving the working environment for the employees and is an important feature if the baler is installed close to customers.

BALE INDICATOR

A bale indicator alerts you when the machine has reached its capacity.


OPTIMAL BALE LOGISTICS

2 bales from Orwak 3210 fits perfectly on one Euro pallet.

DIMENSIONS AND SPECIFICATIONS

Dimensions					
A	B	C	D	E	F*
2150 mm	1081 mm	843 mm	1944 mm	706 mm	1795 mm

Energy consumption	
STANDBY MODE	MAXIMUM OPERATION ONE HOUR
2.7 W / H	626 W / H



WEIGHT (MACHINE) TOTAL: 660 KG

*Transport Height, must be ordered

Technical specifications							
LOADING APERTURE	CYCLE TIME	PRESS FORCE	BALE SIZE	BALE WEIGHT	NOISE LEVEL	PROTECTION CLASS	OPERATING POWER
Width: 800 mm Height: 500 mm	13 secs	12 ton, 120 kN	Width: 800 mm Depth: 600 mm Height: 700 mm	Cardboard: Up to 80 kg Plastic: Up to 100 kg	62.4 db (A)	IP 55	3-phase 3x400 V, 50 Hz



TOMRA Compaction AB

Box 58, SE-576 22 Sävsjö, Sweden

Tel: +46 382-157 00

Fax: +46 382-106 07

E-mail: info.compaction@tomra.com

www.tomracompaction.com

We reserve the right to make changes to specifications without prior notice.
Bale/bag/bin weights are dependent upon material type.