


# ORWAK 9020

Create your own mini recycling station with Orwak 9020! This multiple-chamber-solution provides sorting and compaction of different types of materials in one unit! The chambers allows for a lot of material and the system can easily be extended by additional chambers.



---

## **MORE PRODUCTIVE USE OF TIME**

Less time spent on waste handling, more time devoted to your core activities.

---

## **VOLUME REDUCTION**

More compaction = less waste volume to transport for recycling or disposal. Fewer transports required results in lower transportation costs and reduced CO<sub>2</sub> emissions.

---

## **MORE SPACE**

Our baler rapidly minimizes the space the waste takes up, keeping aisles and passageways free and tidy.



# ORWAK 9020

## Multiple-chamber-solution

This is a toploaded multiple-chamber-solution. It forms a mini recycling point. With one chamber for each material it is easy to sort and compact materials at source.



The press force can be regulated individually for each chamber, according to the material.

Every chamber has a built-in patented automatic bale ejection system. Personal safety is our priority.

### ORWAK 9020 IS OPTIMIZED FOR:

#### PAPER

- + Cardboard
- + Shredded
- + Paper sacks

#### PLASTIC FOIL

- + Shrink film
- + Plastic bags

#### METAL CANS

- + Food cans
- + Paint cans

#### PLASTIC CONTAINERS

- + Pet bottles

#### OTHER METALS

- + Steel straps

### HIGH CAPACITY SYSTEM

Orwak 9020 is powerful machine with large chambers and generous loading apertures. It provides effective volume reduction of large amounts of recyclables.

### EFFICIENCY

While the baler compacts the material in one chamber, the other one is open and ready to be fed with more material!

### EXTENDABLE SYSTEM

It is easy to add additional chamber to extend your sorting and compaction system and increase its capacity further. When your business expands and your needs change, let your waste handling system grow at the same pace!

### BALE INDICATOR

A bale indicator alerts you when the machine has reached its capacity.


## DIMENSIONS AND SPECIFICATIONS

Dimensions					
A	B	C	D	E	F*
2470 mm	2480 mm	968 (1135 <sup>1</sup> ) mm	2175 mm	1380 mm	1900 mm

\*Transport Height, must be ordered. <sup>1</sup>Including strap holders

Energy consumption	
STANDBY MODE	MAXIMUM OPERATION ONE HOUR
2.7 W / H	800 W / H

WEIGHT (MACHINE) TOTAL: 1580 KG  
 ONLY CHAMBER: 1100 KG  
 ONLY PRESS UNIT: 480 KG



Technical specifications							
LOADING APERTURE	CYCLE TIME	PRESS FORCE	BALE SIZE	BALE WEIGHT	NOISE LEVEL	PROTECTION CLASS	OPERATING POWER
Width: 1100 mm Height: 700 mm	35 secs	20 ton, 200 kN	Width: 1100 mm Depth: 700 mm Height: 800 mm	Cardboard: Up to 200 kg Plastic: Up to 300 kg	< 72 db (A)	IP 55	3-phase 3x400 V, 50 Hz



### TOMRA Compaction AB

Box 58, SE-576 22 Sävsjö, Sweden  
 Tel: +46 382-157 00  
 Fax: +46 382-106 07  
 E-mail: info.compaction@tomra.com  
[www.tomracompaction.com](http://www.tomracompaction.com)

We reserve the right to make changes to specifications without prior notice.  
 Bale/bag/bin weights are dependent upon material type.